SAFETY DATA SHEET



IMMULITE® 2000 AFP MSDS no.: L2KAP2_6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : IMMULITE® 2000 AFP

Product code : L2KAP2/6, 10381184, 10381187

Product description: Not available.

Product type : Liquid.

Other means of
identification: AFP Reagent Wedge A
AFP Reagent Wedge B
AFP AdjustorsL2APA2-A
L2APA2-B
L2APJ3, L2APJ4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Not applicable.

1.3 Company/undertaking identification

Manufactured/supplied : Siemens Healthcare Diagnostics Limited

Sir William Siemens Square

Newton House Camberley Frimley Surrey GU16 8QD UK

Phone: +44 (0) 1276 696000 Fax: +44 (0)1276 696133

e-mail address of person responsible for this SDS

dx.msds.healthcare@siemens.com

1.4 Emergency telephone number : Poi

: Poison Control: In England and Wales:

NHS Direct - 0845 4647 or 111

In Scotland: NHS 24 – 08454 24 24 24 In the Republic of Ireland: 01 809 2166

CHEMTREC: 0870-8200418 (UK only) 00 + 1 + 703-527-3887 (UK & Ireland) (International calls to the United Kingdom)

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 1/16

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Product definition : AFP Reagent Wedge A Mixture
AFP Reagent Wedge B Mixture

AFP Adjustors Mixture

Classification according to Directive 1999/45/EC [DPD]

AFP Reagent Wedge A The product is not classified as

dangerous according to Directive 1999/45/EC and its amendments.

AFP Reagent Wedge B The product is not classified as

dangerous according to Directive 1999/45/EC and its amendments.

AFP Adjustors The product is not classified as

dangerous according to Directive 1999/45/EC and its amendments.

Classification : AFP Reagent Wedge A Not classified.

AFP Reagent Wedge B Not classified.
AFP Adjustors Not classified.
AFP Reagent Wedge A Not applicable

Physical/chemical : AFP Reagent Wedge A Not applicable. hazards AFP Reagent Wedge B Not applicable.

AFP Adjustors

Not applicable.

AFP Reagent Wedge A

AFP Reagent Wedge B

Not applicable.

AFP Reagent Wedge B Not applicable.

AFP Adjustors Not applicable.

AFP Reagent Wedge A Not applicable.

AFP Reagent Wedge B Not applicable.
AFP Adjustors Not applicable.

See Section 16 for the full text of the R phrases or H statements declared above. See Section 11 for more detailed information on health effects and symptoms.

2.2 Label elements

Precautionary statements

Human health hazards

Environmental hazards

Indication of danger

Risk phrases : AFP Reagent Wedge A This product is not classified as

dangerous according to EU legislation.

AFP Reagent Wedge B This product is not classified as

dangerous according to EU legislation.

AFP Adjustors

This product is not classified as

dangerous according to EU legislation.

Safety phrases : AFP Reagent Wedge A Not applicable.

AFP Reagent Wedge B Not applicable.
AFP Adjustors Not applicable.

Supplemental label: Not applicable.

elements

Hements

AFP Reagent Wedge

Annex XVII - Restrictions : AFP Reagent Wedge A Not applicable.

on the manufacture, AFP Reagent Wedge B Not applicable.

placing on the market and use of certain dangerous

AFP Adjustors Not applicable.

2.3 Other hazards

articles

Other hazards which do not result in classification

substances, mixtures and

: None known.

Not available.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 2/16

SECTION 3: Composition/information on ingredients

Substance/mixture: AFP Reagent Wedge AMixtureAFP Reagent Wedge BMixtureAFP AdjustorsMixture

			Clas	<u>sification</u>	
Product/ingredient name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	Туре
AFP Reagent Wedge					
aminocaproic acid	EC: 200-469-3 CAS: 60-32-2	>=1, <5	Not classified.	Eye Irrit. 2, H319	[1]
AFP Reagent Wedge					
aminocaproic acid	EC: 200-469-3 CAS: 60-32-2	>=1, <5	Not classified.	Eye Irrit. 2, H319	[1]
				See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs or vPvBs or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

AFP Reagent Wedge B

AFP Reagent Wedge B

AFP Adjustors

- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact: AFP Reagent Wedge A Immediately flush eyes with plenty of

water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical

attention if irritation occurs.

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove

any contact lenses. Get medical attention if irritation occurs.

Immediately flush eyes with plenty of

water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical

attention if irritation occurs.

Inhalation : AFP Reagent Wedge A Remove victim to fresh air and keep at

rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours

under medical surveillance for 48 hours. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire,

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 3/1

AFP Adjustors

IMMULITE® 2000 AFP

SECTION 4: First aid measures

symptoms may be delayed. The exposed person may need to be kept

under medical surveillance for 48 hours. Remove victim to fresh air and keep at

rest in a position comfortable for breathing. Get medical attention if

symptoms occur.

Skin contact : AFP Reagent Wedge A Flush contaminated skin with plenty of

water. Remove contaminated clothing and shoes. Get medical attention if

symptoms occur.

AFP Reagent Wedge B Flush contaminated skin with plenty of

water. Remove contaminated clothing and shoes. Get medical attention if

symptoms occur.

AFP Adjustors Flush contaminated skin with plenty of

water. Remove contaminated clothing and shoes. Get medical attention if

symptoms occur.

Ingestion : AFP Reagent Wedge A Wash out mouth with water. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

AFP Reagent Wedge B Wash out mouth with water. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

AFP Adjustors Wash out mouth with water. Remove

victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical

attention if symptoms occur.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed Potential acute health effects

Eye contact : AFP Reagent Wedge A

No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

nazards.

AFP Adjustors No known significant effects or critical

hazards.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 4/16

SECTION 4: First aid measures

Inhalation : AFP Reagent Wedge A Exposure to decomposition products

may cause a health hazard. Serious effects may be delayed following

exposure.

AFP Reagent Wedge B Exposure to decomposition products

may cause a health hazard. Serious effects may be delayed following

exposure.

AFP Adjustors No known significant effects or critical

hazards.

Skin contact: AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Ingestion: AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Over-exposure signs/symptoms

Inhalation

Skin contact

Ingestion

Eye contact: AFP Reagent Wedge A No specific data.

AFP Reagent Wedge B
AFP Adjustors

No specific data.

AFP Reagent Wedge A
AFP Reagent Wedge B

No specific data.

No specific data.

AFP Reagent Wedge A

AFP Reagent Wedge B

No specific data.

No specific data.

No specific data.

AFP Reagent Wedge B
AFP Adjustors

No specific data.

AFP Reagent Wedge A
AFP Reagent Wedge B
AFP Adjustors

No specific data.

No specific data.

No specific data.

No specific data.

4.3 Indication of any immediate medical attention and special treatment needed

Notes to physician : In case of inhalation of decomposition products in a fire, symptoms may be delayed.

The exposed person may need to be kept under medical surveillance for 48 hours.

Specific treatments : No specific treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing

media

: Use dry chemical, CO₂, water spray (fog) or foam.

Unsuitable extinguishing

media

: None known.

5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture

: In a fire or if heated, a pressure increase will occur and the container may burst.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide nitrogen oxides sulfur oxides

halogenated compounds metal oxide/oxides

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 5/16

SECTION 5: Firefighting measures

5.3 Advice for firefighters

Special protective actions for fire-fighters

Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.

For emergency responders: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also Section 8 for additional information on hygiene measures.

6.2 Environmental precautions

: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

6.3 Methods and materials for containment and cleaning up

Small spill

: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.

Large spill

Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with noncombustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.

6.4 Reference to other sections

: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8).

Advice on general occupational hygiene

: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

Date of issue/Date of revision : 2/17/2015. Date of previous issue Version : No previous validation.

SECTION 7: Handling and storage

7.3 Specific end use(s)

Recommendations : Not available.

Industrial sector specific : Not available.

solutions

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker or exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

Recommended monitoring procedures

: If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

DNELs/DMELs

No DNELs/DMELs available.

PNECs

No PNECs available

8.2 Exposure controls

Appropriate engineering controls

 Good general ventilation should be sufficient to control worker exposure to airborne contaminants.

Individual protection measures

Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

Eye/face protection

: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with sideshields.

Skin protection

Hand protection

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

Body protection

: Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 7/10

SECTION 8: Exposure controls/personal protection

Respiratory protection

: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

•								
Δ	n	n	Δ	2	ra	n	^	Δ
_	u	u	c	а	ıa		•	6

Physical state : AFP Reagent Wedge A Liquid.
AFP Reagent Wedge B Liquid.

AFP Adjustors Liquid.

Colour : AFP Reagent Wedge A Colourless.

AFP Reagent Wedge B Colourless.
AFP Reagent Wedge A Colourless.

Odour: AFP Reagent Wedge AOdorless.AFP Reagent Wedge BOdorless.

AFP Adjustors Odorless.

PH: AFP Reagent Wedge A 7.55 to 7.65
AFP Reagent Wedge B 7.55 to 7.65

AFP Adjustors Not applicable.

: AFP Reagent Wedge A Not available.

Melting point/freezing point : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available.

AFP Adjustors Not available.

Initial boiling point and
boiling range: AFP Reagent Wedge A
AFP Reagent Wedge BNot available.

AFP Adjustors Not available.

Flash point : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available.

AFP Adjustors Net available.

AFP Adjustors Not available.

Evaporation rate : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available. AFP Adjustors Not available.

Flammability (solid, gas) : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available.
AFP Adjustors Not available.

Burning time : AFP Reagent Wedge A Not applicable.

AFP Reagent Wedge B Not applicable.

AFP Adjustors Not applicable.

Burning rate : AFP Reagent Wedge A Not applicable.

AFP Reagent Wedge B Not applicable.

AFP Adjustors Not applicable.

Upper/lower flammability or :

explosive limits

: AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors

Vapour pressure : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B

AFP Adjustors

Not available.

Not available.

Solubility in water : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available. AFP Adjustors Not available.

Partition coefficient: n-octanol/ : AFP Reagent Wedge A

water

AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors

Not available. Not available.

Not available.

Not available.

Not available.

Not available.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 8/10

AFP Adjustors

AFP Adjustors

IMMULITE® 2000 AFF

SECTION 9: Physical and chemical properties

Auto-ignition temperature

: AFP Reagent Wedge A AFP Reagent Wedge B Not available. Not available. Not available.

Decomposition temperature

: AFP Reagent Wedge A AFP Reagent Wedge B

Not available. Not available.

Viscosity

: AFP Reagent Wedge A AFP Reagent Wedge B Not available. Not available. Not available.

Explosive properties

AFP Adjustors : AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors

Not available. Not available. Not available.

Oxidising properties

: AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors

Not available. Not available. Not available.

Not available.

9.2 Other information

SADT : Not available.

Aerosol product

Type of aerosol **Heat of combustion Ignition distance Enclosed space ignition -**

: Not applicable. : Not available. : Not applicable.

Time equivalent

: Not applicable.

Enclosed space ignition -

Deflagration density

: Not applicable.

Flame height Flame duration : Not applicable. : Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

10.2 Chemical stability

The product is stable.

10.3 Possibility of hazardous reactions : Under normal conditions of storage and use, hazardous reactions will not occur.

10.4 Conditions to avoid

: No specific data.

10.5 Incompatible materials

No specific data.

10.6 Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Conclusion/Summary

: Not available.

Acute toxicity estimates

Not available.

Irritation/Corrosion

Date of issue/Date of revision : 2/17/2015. Version Date of previous issue : No previous validation.

SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
AFP Reagent Wedge A aminocaproic acid	Eyes - Mild irritant	Rabbit		24 hours 500 milligrams	-
AFP Reagent Wedge B aminocaproic acid	Eyes - Mild irritant	Rabbit		24 hours 500 milligrams	-

Conclusion/Summary

: Not available.

Sensitisation

Conclusion/Summary: Not available.

Mutagenicity

Conclusion/Summary: Not available.

Carcinogenicity

Conclusion/Summary: Not available.

Reproductive toxicity

Conclusion/Summary: Not available.

Teratogenicity

Conclusion/Summary: Not available.

Information on the likely routes of exposure

: Not available.

Potential acute health effects

Eye contact: AFP Reagent Wedge A

No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards

AFP Adjustors No known significant effects or critical

hazards.

Inhalation : AFP Reagent Wedge A Exposure to decomposition products

may cause a health hazard. Serious effects may be delayed following

exposure.

AFP Reagent Wedge B Exposure to decomposition products

may cause a health hazard. Serious effects may be delayed following

exposure.

AFP Adjustors No known significant effects or critical

hazards.

Skin contact : AFP Reagent Wedge A No known significant effects or critical

hazards

AFP Reagent Wedge B No known significant effects or critical

hazards

AFP Adjustors No known significant effects or critical

hazards.

Ingestion : AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact: AFP Reagent Wedge A No specific data.

AFP Reagent Wedge B
AFP Adjustors
No specific data.
No specific data.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 10/16

SECTION 11: Toxicological information

Inhalation : AFP Reagent Wedge A No specific data.

AFP Reagent Wedge B No specific data.
AFP Adjustors No specific data.

Skin contact: AFP Reagent Wedge A No specific data.

AFP Reagent Wedge B No specific data.
AFP Adjustors No specific data.

Ingestion : AFP Reagent Wedge A No specific data.

AFP Reagent Wedge B No specific data.
AFP Adjustors No specific data.

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : AFP Reagent Wedge A Not available. effects AFP Reagent Wedge B Not available.

AFP Adjustors Not available.

Potential delayed effects : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available.

AFP Adjustors

Long term exposure

Potential immediate: AFP Reagent Wedge ANot available.effectsAFP Reagent Wedge BNot available.

AFP Adjustors

AFP Reagent Wedge A

Not available.

Not available.

Potential delayed effects : AFP Reagent Wedge A Not available.

AFP Reagent Wedge B Not available.

AFP Adjustors Not available.

Potential chronic health effects

Not available.

Conclusion/Summary: Not available.

General : AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

Not available.

AFP Adjustors No known significant effects or critical

hazards.

Carcinogenicity : AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Mutagenicity : AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Teratogenicity: AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Developmental effects: AFP Reagent Wedge A

No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 11/16

Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II - United Kingdom (UK)

IMMULITE® 2000 AFP

SECTION 11: Toxicological information

Fertility effects : AFP Reagent Wedge A No known significant effects or critical

hazards.

AFP Reagent Wedge B No known significant effects or critical

hazards.

AFP Adjustors No known significant effects or critical

hazards.

Other information : Not available.

SECTION 12: Ecological information

12.1 Toxicity

Conclusion/Summary: Not available.

12.2 Persistence and degradability

Conclusion/Summary: Not available.

12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
AFP Reagent Wedge A aminocaproic acid	-2.95	-	low
AFP Reagent Wedge B aminocaproic acid	-2.95	-	low

12.4 Mobility in soil

Soil/water partition coefficient (Koc)

: Not available.

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : AFP Reagent Wedge A Not applicable.

AFP Reagent Wedge B
AFP Adjustors

Not applicable.

AFP Reagent Wedge A
AFP Reagent Wedge B

Not applicable.

Not applicable.

Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

AFP Adjustors

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product

vPvB

Methods of disposal : The generation of waste should be avoided or minimised wherever possible.

Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of

Not applicable.

all authorities with jurisdiction.

Hazardous waste : Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 91/689/EEC.

Not available.

Packaging

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 12/16

SECTION 13: Disposal considerations

Methods of disposal

: The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

Special precautions

: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

ADR/RID		
14.1 UN number	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	Not regulated. Not regulated. Not regulated.
14.2 UN proper shipping name	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.3 Transport hazard class(es)	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.4 Packing group	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.5 Environmental hazards	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	No. No. No.
Additional information	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
<u>ADN</u>		
14.1 UN number	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	Not regulated. Not regulated. Not regulated.
14.2 UN proper shipping name	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.3 Transport hazard class(es)	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.4 Packing group	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.5 Environmental hazards	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	No. No. No.
Additional information	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
<u>IMDG</u>		
14.1 UN number	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	Not regulated. Not regulated. Not regulated.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 13/16

SECTION 14: Transport information

14.2 UN proper shipping name	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.3 Transport	AFP Reagent Wedge A	-
hazard class(es)	AFP Reagent Wedge B AFP Adjustors	-

14.4 Packing group	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.5 Environmental hazards	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	No. No. No.
Additional information	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -

IATA

14.1 UN number	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	Not regulated. Not regulated. Not regulated.
14.2 UN proper	AFP Reagent Wedge A	-
shipping name	AFP Reagent Wedge B	-
	AFP Adjustors	-
14.3 Transport	AFP Reagent Wedge A	-

14.3 Transport	AFP Reagent Wedge A	-
hazard class(es)	AFP Reagent Wedge B	-
	AFP Adjustors	-

14.4 Packing group	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -
14.5 Environmental hazards	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	No. No. No.
Additional information	AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors	- - -

14.6 Special precautions for	:	AFP Reagent Wedge A
------------------------------	---	---------------------

14.6 Special precautions for	: AFP Reagent Wedge A
user	

AFP	Reagent Wedg	e B

AFP	Adjustors	;
-----	-----------	---

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or

spillage.

Transport within user's premises:

always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version :1 14/16

SECTION 14: Transport information

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

: AFP Reagent Wedge A AFP Reagent Wedge B AFP Adjustors

Not applicable. Not applicable. Not applicable.

Other EU regulations

Europe inventory : Not determined.

Seveso II Directive

This product is not controlled under the Seveso II Directive.

15.2 Chemical Safety **Assessment**

: This product contains substances for which Chemical Safety Assessments are still required.

SECTION 16: Other information

Indicates information that has changed from previously issued version.

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation (Regulation (EC) No.

1272/20081

DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

vPvB = Very Persistent and Very Bioaccumulative

Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Not classified.

Not classified.

Full text of abbreviated H statements

: AFP Reagent Wedge A

H319

Causes serious eye irritation.

AFP Reagent Wedge B

H319

Causes serious eye irritation.

Full text of classifications

[CLP/GHS]

AFP Reagent Wedge A

Eye Irrit. 2, H319

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2

AFP Reagent Wedge B

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 Eye Irrit. 2, H319

Date of issue/Date of revision : 2/17/2015. Date of previous issue Version 15/16 : No previous validation.

SECTION 16: Other information

Full text of abbreviated R

phrases

Full text of classifications

: Not applicable.

: Not applicable.

[DSD/DPD]

Date of printing : 2/17/2015.

Date of issue/ Date of : 2/17/2015.

revision

Date of previous issue : No previous validation.

Version : 1

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Date of issue/Date of revision : 2/17/2015. Date of previous issue : No previous validation. Version : 1 16/16